




 Van de Lande

**PE
COMPRESSION**

PE COMPRESSION

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE




* = kiwa norm PN 16
kiwa

ART.CODE	d	Z	B	PN	QUANTITY
7.10.016*	16	10	42	16	100
7.10.020*	20	12	47	16	100
7.10.025*	25	14	51	16	100
7.10.032*	32	18	57	16	50
7.10.040*	40	21	61	16	50
7.10.050	50	36	92	10	8
7.10.063	63	40	104	10	7
7.10.075	75	38	124	10	4

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE




* = kiwa norm PN 16
kiwa


ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.12.016*	16	3/8" (M)	10	34	42	11	16	100
7.12.017*	16	1/2" (M)	10	34	42	13	16	100
7.12.020*	20	1/2" (M)	12	34	47	16	16	100
7.12.021*	20	3/4" (M)	12	34	47	17	16	100
7.12.024*	25	1/2" (M)	14	37	51	16	16	75
7.12.025*	25	3/4" (M)	14	38	51	17	16	75
7.12.026*	25	1" (M)	14	38	51	21	16	75
7.12.032*	32	1" (M)	18	44	57	21	16	50
7.12.033*	32	1 1/4" (M)	18	44	57	23	16	50
7.12.040*	40	1 1/4" (M)	21	47	61	23	16	40
7.12.041*	40	1 1/2" (M)	21	47	61	23	16	40
7.12.051	50	2" (M)	36	56	98	31	10	10
7.12.062	63	1 1/2" (M)	40	60	110	24	10	6
7.12.063	63	2" (M)	40	60	110	31	10	6
7.12.074	75	2" (M)	40	72	124	31	10	4
7.12.075	75	2 1/2" (M)	40	72	124	34	10	4
7.12.076	75	3" (M)	40	72	124	34	10	4

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.14.016	16	3/8" (F)	10	31	42	11	10	100
7.14.017	16	1/2" (F)	10	31	42	13	10	100
7.14.020	20	1/2" (F)	12	31	47	16	10	100
7.14.021	20	3/4" (F)	12	31	47	17	10	100
7.14.024	25	1/2" (F)	14	31	51	16	10	75
7.14.025	25	3/4" (F)	14	36	51	17	10	75
7.14.026	25	1" (F)	14	36	51	21	10	75
7.14.032	32	1" (F)	18	40	57	21	10	50
7.14.033	32	1 1/4" (F)	18	40	57	23	10	50
7.14.040	40	1 1/4" (F)	21	45	61	23	10	40




PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.15.016*	16	3/8" (F)	10	31	42	11	16	100
7.15.017*	16	1/2" (F)	10	31	42	13	16	100
7.15.020*	20	1/2" (F)	12	31	47	16	16	100
7.15.021*	20	3/4" (F)	12	31	47	17	16	100
7.15.024*	25	1/2" (F)	14	31	51	16	16	75
7.15.025*	25	3/4" (F)	14	36	51	17	16	75
7.15.026*	25	1" (F)	14	36	51	21	16	75
7.15.032*	32	1" (F)	18	40	57	21	16	50
7.15.033*	32	1 1/4" (F)	18	40	57	23	16	50
7.15.040*	40	1 1/4" (F)	21	45	61	23	16	40
7.15.041*	40	1 1/2" (F)	21	45	61	23	16	40
7.14.050	50	1 1/2" (F)	36	58	92	24	10	10
7.14.051	50	2" (F)	36	59	92	28	10	10
7.14.062	63	1 1/2" (F)	40	64	101	26	10	6
7.14.063	63	2" (F)	38	60	101	28	10	6
7.14.074	75	2" (F)	38	70	124	31	10	4
7.14.075	75	2 1/2" (F)	38	72	124	31	10	4
7.14.076	75	3" (F)	38	76	124	34	10	4




* = kiwa norm PN 16
kiwa

PE TEE

PE T-Stuk
PE T-Stück
Te PE
PE ti
Te en PE



* = kiwa norm PN 16




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.16.020*	20	16	10	24	47	42	16	50
7.16.024*	25	16	15	16	51	42	16	50
7.16.025*	25	20	15	26	51	47	16	50
7.16.032*	32	25	19	31	57	51	16	50
7.16.040*	40	32	23	36	61	57	16	25
7.16.050	50	40	38	40	95	74	10	8
7.16.063	63	50	40	36	105	98	10	5
7.16.075	75	63	38	39	124	110	10	4

PE ELBOW

PE knie
PE Winkel
Coude PE
PE curva
Codo en PE




* = kiwa norm PN 16




ART.CODE	d	Z	B	PN	QUANTITY
7.20.016*	16	10	42	16	100
7.20.020*	20	12	47	16	100
7.20.025*	25	14	51	16	100
7.20.032*	32	18	57	16	50
7.20.040*	40	21	61	16	50
7.20.050	50	40	90	16	12
7.20.063	63	50	105	16	8
7.20.075	75	38	124	10	6

PE ELBOW


PE knie
PE Winkel
Coude PE
PE curva
Codo en PE



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.22.016*	16	3/8" (M)	10	34	42	11	16	150
7.22.017*	16	1/2" (M)	10	34	42	13	16	150
7.22.020*	20	1/2" (M)	12	34	47	16	16	150
7.22.021*	20	3/4" (M)	12	34	47	17	16	150
7.22.024*	25	1/2" (M)	14	37	51	16	16	100
7.22.025*	25	3/4" (M)	14	38	51	19	16	100
7.22.026*	25	1" (M)	14	38	51	21	16	100
7.22.032*	32	1" (M)	18	44	57	21	16	50
7.22.033*	32	1 1/4" (M)	18	44	57	23	16	50
7.22.040*	40	1 1/4" (M)	21	47	61	23	16	50
7.22.041*	40	1 1/2" (M)	21	47	61	23	16	50
7.22.050	50	1 1/2" (M)	35	59	98	26	10	18
7.22.051	50	2" (M)	35	59	98	26	10	18
7.22.063	63	2" (M)	44	76	110	31	10	10
7.22.074	75	2" (M)	38	77	124	26	10	6
7.22.075	75	2 1/2" (M)	38	77	124	34	10	6
7.22.076	75	3" (M)	38	77	124	34	10	6



* = kiwa norm PN 16
kiwa



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.24.016	16	3/8" (F)	10	31	42	11	10	150
7.24.017	16	1/2" (F)	10	31	42	13	10	150
7.24.020	20	1/2" (F)	12	31	47	16	10	150
7.24.021	20	3/4" (F)	12	31	47	17	10	150
7.24.024	25	1/2" (F)	14	31	51	16	10	100
7.24.025	25	3/4" (F)	14	36	51	17	10	100
7.24.026	25	1" (F)	14	36	51	21	10	100
7.24.032	32	1" (F)	18	40	57	21	10	50
7.24.033	32	1 1/4" (F)	18	40	57	23	10	50
7.24.040	40	1 1/4" (F)	21	45	61	23	10	50
7.24.041	40	1 1/2" (F)	21	45	61	23	10	50





PE knie
PE Winkel
Coude PE
PE curva
Codo en PE

PE COMPRESSION

PE ELBOW

PE knie
PE Winkel
Coude PE
PE curva
Codo en PE




* = kiwa norm PN 16



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.25.016*	16	3/8" (F)	10	31	42	11	16	150
7.25.017*	16	1/2" (F)	10	31	42	13	16	150
7.25.020*	20	1/2" (F)	12	31	47	16	16	150
7.25.021*	20	3/4" (F)	12	31	47	17	16	150
7.25.024*	25	1/2" (F)	14	31	51	16	16	100
7.25.025*	25	3/4" (F)	14	36	51	17	16	100
7.25.026*	25	1" (F)	14	36	51	21	16	100
7.25.032*	32	1" (F)	18	40	57	21	16	50
7.25.033*	32	1 1/4" (F)	18	40	57	23	16	50
7.25.040*	40	1 1/4" (F)	21	45	61	23	16	50
7.25.041*	40	1 1/2" (F)	21	45	61	23	16	50
7.24.049	50	1 1/4" (F)	36	55	98	31	10	18
7.24.050	50	1 1/2" (F)	36	60	98	26	10	18
7.24.051	50	2" (F)	36	60	98	26	10	18
7.24.062	63	1 1/2" (F)	45	80	110	26	10	10
7.24.063	63	2" (F)	45	75	110	31	10	10
7.24.074	75	2" (F)	38	75	124	34	10	6
7.24.075	75	2 1/2" (F)	38	75	124	31	10	6
7.24.076	75	3" (F)	38	78	124	34	10	6

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE





* = kiwa norm PN 16



ART.CODE	d1	Z	B	S	PN	QUANTITY
7.30.016*	16	3	42	24	16	175
7.30.020*	20	3	47	27	16	175
7.30.025*	25	3	51	33	16	175
7.30.032*	32	3	57	42	16	100
7.30.040*	40	3	61	51	16	50
7.30.050	50	5	91	-	16	20
7.30.063	63	10	105	-	16	11
7.30.075	75	3	124	-	10	8
7.30.090	90	5	180	-	10	2
7.30.110	110	7	200	-	10	2

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE




* = kiwa norm PN 16
kiwa

ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.32.016*	16	3/8" (M)	3	42	11	24	16	200
7.32.017*	16	1/2" (M)	3	42	13	24	16	200
7.32.020*	20	1/2" (M)	3	47	16	27	16	200
7.32.021*	20	3/4" (M)	3	47	17	27	16	200
7.32.025*	25	1/2" (M)	3	51	16	33	16	200
7.32.026*	25	3/4" (M)	3	51	17	33	16	200
7.32.027*	25	1" (M)	4	51	21	33	16	200
7.32.031*	32	1/2" (M)	4	57	16	42	16	200
7.32.032*	32	3/4" (M)	4	57	17	42	16	200
7.32.033*	32	1" (M)	4	57	21	42	16	175
7.32.034*	32	1 1/4" (M)	4	57	23	42	16	175
7.32.040*	40	1" (M)	4	61	21	51	16	100
7.32.041*	40	1 1/4" (M)	4	61	23	51	16	100
7.32.042*	40	1 1/2" (M)	4	61	23	51	16	100
7.32.050	50	1 1/2" (M)	14	92	26	-	10	24
7.32.051	50	2" (M)	14	90	26	-	10	24
7.32.062	63	1 1/2" (M)	15	110	26	-	10	18
7.32.063	63	2" (M)	13	110	26	-	10	18
7.32.074	75	2" (M)	8	124	32	-	10	12
7.32.075	75	2 1/2" (M)	8	124	34	-	10	12
7.32.076	75	3" (M)	8	124	34	-	10	13
7.32.090	90	2" (M)	16	180	34	-	10	5
7.32.091	90	3" (M)	16	180	37	-	10	5
7.32.109	110	3" (M)	30	215	46	-	10	2
7.32.110	110	4" (M)	30	215	52	-	10	2

PE COUPLING


PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE




ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.34.016	16	3/8" (F)	3	42	11	24	10	200
7.34.017	16	1/2" (F)	3	42	12	24	10	200
7.34.020	20	3/8" (F)	3	47	12	27	10	200
7.34.021	20	1/2" (F)	3	47	16	27	10	200
7.34.022	20	3/4" (F)	7	47	17	27	10	200
7.34.025	25	1/2" (F)	3	51	16	33	10	200
7.34.026	25	3/4" (F)	3	51	17	33	10	200
7.34.027	25	1" (F)	7	51	21	33	10	175
7.34.031	32	1/2" (F)	4	57	16	42	10	175
7.34.032	32	3/4" (F)	4	57	17	42	10	175
7.34.033	32	1" (F)	4	57	21	42	10	175
7.34.034	32	1 1/4" (F)	9	57	23	42	10	100
7.34.040	40	1" (F)	4	61	21	51	10	75
7.34.041	40	1 1/4" (F)	4	61	23	51	10	75
7.34.042	40	1 1/2" (F)	9	61	23	51	10	100

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE




ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.35.016*	16	3/8" (F)	3	42	11	24	16	200
7.35.017*	16	1/2" (F)	3	42	12	24	16	200
7.35.020*	20	3/8" (F)	3	47	12	27	16	200
7.35.021*	20	1/2" (F)	3	47	16	27	16	200
7.35.022*	20	3/4" (F)	7	47	17	27	16	200
7.35.025*	25	1/2" (F)	3	51	16	33	16	200
7.35.026*	25	3/4" (F)	3	51	17	33	16	200
7.35.027*	25	1" (F)	7	51	21	33	16	175
7.35.031*	32	1/2" (F)	4	57	16	42	16	175
7.35.032*	32	3/4" (F)	4	57	17	42	16	175
7.35.033*	32	1" (F)	4	57	21	42	16	175
7.35.034*	32	1 1/4" (F)	9	57	23	42	16	100
7.35.040*	40	1" (F)	4	61	21	51	16	75
7.35.041*	40	1 1/4" (F)	4	61	23	51	16	75
7.35.042*	40	1 1/2" (F)	9	61	23	51	16	100
7.34.050	50	1 1/2" (F)	12	98	26	-	10	24
7.34.051	50	2" (F)	23	98	27	-	10	24
7.34.063	63	2" (F)	8	115	31	-	10	18
7.34.074	75	2" (F)	10	124	26	-	10	13
7.34.075	75	2 1/2" (F)	10	124	34	-	10	13
7.34.090	90	2" (F)	20	180	30	-	10	5
7.34.091	90	3" (F)	20	180	37	-	10	5
7.34.109	110	3" (F)	32	220	30	-	10	2
7.34.110	110	4" (F)	16	200	48	-	10	2



* = kiwa norm PN 16
kiwa

PE COUPLING

PE koppeling
PE Kupplung
Union PE
PE bocchettone
Enlace en PE



reducing
verlopend
reduzierend
réduisant
ridotto
reducida


* = kiwa norm PN 16



ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.36.020*	20	16	3	47	42	24	16	100
7.36.024*	25	16	3	51	42	24	16	100
7.36.025*	25	20	3	51	47	33	16	100
7.36.032*	32	25	3	57	51	42	16	50
7.36.040*	40	32	3	61	57	51	16	50
7.36.048	50	25	2	98	58	-	10	16
7.36.049	50	32	2	98	64	-	10	16
7.36.050	50	40	6	98	72	-	10	16
7.36.061	63	32	6	110	64	-	10	8
7.36.062	63	40	6	110	72	-	10	8
7.36.063	63	50	6	110	89	-	10	8
7.36.072	75	32	2	124	69	-	10	6
7.36.073	75	40	2	124	72	-	10	6
7.36.074	75	50	6	124	89	-	10	6
7.36.075	75	63	2	124	98	-	10	6

PE END PART


PE eindset
PE Endverschluss
Bouchon fin de ligne PE
PE tappo finale
Tapon terminal en PE




ART.CODE	d1	d2	Z	B	C	S	PN	QUANTITY
7.33.016	16	1/2"	3	42	13	24	10	250
7.33.020	20	3/4"	3	47	17	27	10	250
7.33.025	25	3/4"	3	51	17	33	10	175
7.33.032	32	1"	4	57	21	42	10	125
7.33.040	40	1 1/4"	4	61	23	51	10	100
7.33.050	50	1 1/2"	14	98	26	-	10	24
7.33.063	63	2"	16	110	26	-	10	18
7.33.075	75	2 1/2"	8	124	34	-	10	13
7.33.090	90	3"	16	180	33	-	10	5
7.33.110	110	4"	8	200	52	-	6	2

PVC/PE ELBOW

PE knie
PE Winkel
Coude PE
PE curva
Codo en PE




ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.21.015	16	25	15	37	42	19	10	200
7.21.016	16	32	12	34	42	22	10	200
7.21.019	20	25	15	37	47	19	10	200
7.21.020	20	32	12	34	47	22	10	200
7.21.024	25	25	15	37	51	19	10	150
7.21.025	25	32	14	34	51	22	10	200



PVC/PE COUPLING

PVC/PE koppeling
PVC/PE Kupplung
Union PVC/PE
PVC/PE bocchettone
Enlace en PVC/PE

ART.CODE	d1	d2	d3	Z	B	C	D	PN	QUANTITY
7.31.016	16	25	32	6	42	22	22	10	200
7.31.020	20	25	32	8	47	22	22	10	200
7.31.025	25	25	32	11	51	22	22	10	200
7.31.032	32	32	40	14	57	26	26	10	150
7.31.040	40	40	50	15	61	31	31	10	100



PVC/PE TEE

PVC/PE T-Stuk
PVC/PE T-Stück
Te PVC/PE
PVC/PE ti
Te en PVC/PE


ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.11.016	16	32	20	20	42	22	10	125
7.11.020	20	32	22	20	47	22	10	150
7.11.025	25	32	22	20	51	22	10	120



PE COMPRESSION

PVC/PE TEE


PVC/PE T-Stuk
PVC/PE T-Stück
Te PVC/PE
PVC/PE ti
Te en PVC/PE



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
7.11.049	50	16	14	28	31	42	10	100
7.11.050	50	20	14	31	31	47	10	100
7.11.055	50	25	14	31	31	51	10	100
7.11.059	63	16	15	38	38	42	10	50
7.11.060	63	20	15	41	38	47	10	50
7.11.065	63	25	15	44	38	51	10	50
7.11.066	63	32	15	46	38	57	10	50
7.11.069	75	16	15	46	44	42	10	30
7.11.070	75	20	15	49	44	47	10	30
7.11.075	75	25	15	52	44	51	10	30
7.11.076	75	32	15	53.5	44	57	10	25
7.11.079	90	16	15	57	51	42	10	17
7.11.080	90	20	15	60	51	47	10	17
7.11.085	90	25	15	63	51	51	10	17
7.11.086	90	32	15	63	51	57	10	17

O-RING (PARTS)

O-ring
O-ring
Joint torique
O-ring
Junta torica




ART.CODE	D	S	QUANTITY
7.40.016	16	3.5	50
7.40.020	20	3.5	50
7.40.025	25	3.5	50
7.40.032	32	3.5	50
7.40.040	40	4.0	50
7.40.050	50	5.5	10
7.40.063	63	6.0	10
7.40.075	75	6.0	10
7.40.090	90	8.0	10
7.40.110	110	9.0	10

PE COMPRESSION

PE UNION NUT (PARTS)


PE wartelmoer
PE Überwurfmutter
Écrou de raccord PE
PE ghiera a filetto
Tuerca enlace en PE



ART.CODE	d	B	QUANTITY
7.42.016	16	30	50
7.42.020	20	35	50
7.42.025	25	39	50
7.42.032	32	44	50
7.42.040	40	47	50
7.42.050	50	70	10
7.42.063	63	81	10
7.42.075	75	88	10
7.42.090	90	124	10
7.42.110	110	166	10

FIXING RING (PARTS)

Snijring
Fixier Ring
Bague de compression
Anello de fissaggio
Anillo de presión




ART.CODE	d	B	QUANTITY
7.44.016	16	9	50
7.44.020	20	12	50
7.44.025	25	12	50
7.44.032	32	16	50
7.44.040	40	16	50
7.44.050	50	30	10
7.44.063	63	32	10
7.44.075	75	38	10
7.44.090	90	61	10
7.44.110	110	61	10

INOX REINFOR- CEMENTRING (PARTS)

Inox versterkingsring
Edelstahl Verstärkungsring
Bague de renforcement inoxydable
Anello di rinforzo inox
Anillo de refuerzo en inox

INOX



ART.CODE	d	D	QUANTITY
8.12.020	3/8"	27.60	50
8.12.021	1/2"	31.20	50
8.12.026	3/4"	38.20	50
8.12.033	1"	45.20	50
8.12.041	1 1/4"	55.20	50
8.12.050	1 1/2"	61.80	50

Fits all female threaded PE fittings from 3/8" up to 1 1/2".

Passend op alle PE fittings met binnendraad van 3/8" t/m 1 1/2".

Passt auf alle PE fittings mit Innengewinde von 3/8" bis 1 1/2".

Assorti aux raccords PE avec filetage femelle de 3/8" jusqu'à 1 1/2".


Si adatta a tutte la filetta tura femmina in PE de 3/8" fino a 1 1/2".

Combina bien con todos los accesorios de PE con rosca hembra de 3/8" a 1 1/2".

PE FITTING CAP

PE fittingstop
PE Fitting Verschluß
Bouchon PE
PE tappo
Tapa terminal en PE

PP




ART.CODE	d	B	QUANTITY
7.38.016	16	33	250
7.38.020	20	41	250
7.38.025	25	41	250
7.38.032	32	47	125
7.38.040	40	51	75

PE TULLE

PE tule
PE Tüll
Tulle PE
PE tulle
Tul en PE


PP



ART.CODE	d1	d2	d3	Z	B	QUANTITY
7.47.016	15	13.5	11	5	34	250
7.47.020	19.5	17.5	14.5	7	44	250

CHAMFERING TOOL

Afbramer
Anschräggerät
Outil à ebarber
Utensili a obliquo
Achaflanador PE




Max. 300 RPM

ART.CODE	Dia	QUANTITY
7.49.010	16-63	10

PE TEE (PVC)

PE T-Stuk (PVC)
PE T-Stück (PVC)
Te PE (PVC)
PE ti (PVC)
Te en PE (PVC)





ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
4.16.027	40	32	14	23.5	26	56	10	150
4.16.030	50	32	14	28.5	31	56	10	100
4.16.032	63	32	15	39	38	71	10	50
4.16.040	75	32	15	46	44	71	10	30
4.16.045	90	32	15	55	51	71	10	17



PE TEE (PVC)

PE T-Stuk (PVC)
PE T-Stück (PVC)
Te PE (PVC)
PE ti (PVC)
Te en PE (PVC)



ART.CODE	d1	d2	Z1	Z2	B	C	PN	QUANTITY
4.16.035	50	32	14	28	31	22	10	120




BALL-VALVE FOR SUBSTRATE

Kogelkraan voor substraat
Kugelhahn für Nährboden Anlagen
Vanne à boisseau pour substrat
Vavula a sfera per cultura substrato
Válvula de bola para substrato

PVC-U



EPDM




ART.CODE	d1	d2	d3	d4	Z1	Z2	B	C	D	DN	PN	QUANTITY
6.00.016	25	32	16	20	70	55	19	22	42	20	10	50
6.00.020	25	32	20	20	68	55	19	22	47	20	10	50
6.00.025	25	32	25	20	66	55	19	22	51	20	10	50
6.00.032	32	40	32	25	70	55	22	26	57	25	10	25

PE CAP

PE eindkap
PE Kappe
Bouchon PE
PE tappo
Tapa en PE

PP




ART.CODE	d1	d2	B	C	QUANTITY
4.10.016	10	16	17	20	500
4.10.020	12	20	18	21	500
4.10.025	17	25	21	24	250

PE NONRETURN VALVE

PE terugslagklep
PE Rücklaufventil
Soupape antiretour PE
Valvola di non ritorno in PE
Válvula anti retorno en PE

PVC-U



ART.CODE	d1	d2	B	Z	QUANTITY
4.22.016	14.5	13	50	28	200
4.22.020	18.5	17	50	28	200
4.22.025	23	21	50	28	200